EAST SEARCH

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S110	67	US-5895470-$.DID. OR US-5918236-$.DID. OR US-5924090-$.DID. OR US-6094653-$.DID. OR US-0612203-$.DID. OR US-6122647-$.DID. OR US-6260033-$.DID. OR US-6336108-$.DID. OR US-6418432-$.DID. OR US-5319777-$.DID. OR US-5813006-$.DID. OR US-5764906-$.DID. OR US-6253198-$.DID. OR US-6349309-$.DID. OR US-6640224-$.DID. OR US-6618717-$.DID. OR US-5813006-$.DID. OR US-6065016-$.DID. OR US-6269369-$.DID. OR US-6466940-$.DID. OR US-6654768-$.DID. OR US-5835905-$.DID. OR US-6128613-$.DID. OR US-6266664-$.DID. OR US-6389436-$.DID. OR US-6529891-$.DID. OR US-6553364-$.DID. OR US-6556964-$.DID. OR US-6668256-$.DID. OR US-6675162-$.DID. OR US-6377936-$.DID. OR US-5923850-$.DID. OR US-6212552-$.DID. OR US-6493703-$.DID. OR US-6336139-$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 12:32
S111	8	S110 and (mine miner mining)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 12:33
S112	8	S110 and aggregat$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 12:33
S113	2	S111 and S112	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 12:41

S11 6	1	"6567814".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/12 12:46
S11 7	5	S110 and (parent same child)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/12 12:48
S11 8	9	S110 and (parent and child)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/12 12:48
S11 9	4	S118 not S117	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/12 12:48
S12 0	541	(distinct predetermined) with (data adj type)	US-PGPUB; USPAT	OR	OFF	2005/01/12 13:43
S12 1	20	(distinct predetermined) with (data adj type) and (mine mining miner)	US-PGPUB; USPAT	OR	ON	2005/01/12 17:04
S12 2	256	(data adj (mine mining miner)) same aggregat$4	US-PGPUB; USPAT	OR	ON	2005/01/12 17:18
S12 3	61	(data adj (mine mining miner)) same aggregat$4 same analyz$4	US-PGPUB; USPAT	OR	ON	2005/01/12 17:06
S12 4	2	(data adj (mine mining miner)) same aggregat$4 same analyz$4 same second	US-PGPUB; USPAT	OR	ON	2005/01/12 17:05
S12 5	4	(data adj (mine mining miner)) same aggregat$4 same analyz$4 same multiple	US-PGPUB; USPAT	OR	ON	2005/01/12 17:06
S12 6	0	(data adj (mine mining miner)) same aggregat$4 same analyz$4 same multiple	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/12 17:06
S12 7	11	(data adj (mine mining miner)) same aggregat$4 same analyz$4	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/12 17:11
S12 8	3	(data adj (mine mining miner)) same aggregat$4 same analyz$4 same level	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/12 17:12
S12 9	6	(data adj (mine mining miner)) same aggregat$4 same level	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/12 17:12
S13 0	25	(data adj (mine mining miner)) same analyz$4 same level	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/12 17:13
S13 1	22	S130 not S127	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/12 17:13

S13 2	120	(data adj (mine mining miner)) with aggregat$4	US-PGPUB; USPAT	OR	ON	2005/01/12 17:59
S13 3	1	(data adj (mine mining miner)) with aggregat$4 same ((multiple several) near3 (levels layers))	US-PGPUB; USPAT	OR	ON	2005/01/12 17:19
S13 4	1	(data adj (mine mining miner)) with aggregat$4 same ((multiple several) with (levels layers))	US-PGPUB; USPAT	OR	ON	2005/01/12 17:19
S13 5	2	(data adj (mine mining miner)) same aggregat$4 same ((multiple several) with (levels layers))	US-PGPUB; USPAT	OR	ON	2005/01/12 17:20
S13 7	0	(data adj (mine mining miner)) same aggregat$4 same ((multiple several) with (levels layers))	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/12 17:20
S13 9	3	(data adj (mine mining miner)) with aggregat$4 same (input same output)	US-PGPUB; USPAT	OR	ON	2005/01/12 17:22
S14 0	12	(data adj (mine mining miner)) with aggregat$4 same multiple	US-PGPUB; USPAT	OR	ON	2005/01/12 17:22
S14 1	1	(data adj (mine mining miner)) with aggregat$4 same (input same output)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/12 17:50
S14 2	2024	multi-tier$3	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/12 17:50
S14 3	57	multi-tier$3 and (data near3 (mine mining miner))	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/12 17:51
S14 8	57	multi-tier$3 and (data near3 (mine mining miner)) and network	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/12 17:51
S14 9	17	multi-tier$3 and (data near3 (mine mining miner)) same network	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/12 17:57
S15 0	9	multi-layer$3 and (data near3 (mine mining miner)) same network	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/12 17:57
S15 2	5	(data adj (mine mining miner)) with aggregat$4 with attribute	US-PGPUB; USPAT; USOCR; JPO; IBM_TDB	OR	ON	2005/01/12 18:35
S15 3	10	(data adj (mine mining miner)) same (digital with video)	US-PGPUB; USPAT; USOCR; JPO; IBM_TDB	OR	ON	2005/01/12 18:36

S15 4	3	(data adj (mine mining miner)) same (digital with video) same ((realtime (real adj time)))	US-PGPUB; USPAT; USOCR; JPO; IBM_TDB	OR	ON	2005/01/12 18:36
S15 5	804	(realtime real-time (real adj time)) with (digital adj video)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 10:05
S15 6	146	(realtime real-time (real adj time)) adj (digital adj video)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 10:05
S15 7	0	(realtime real-time (real adj time)) adj (digital adj video) and mining	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 10:05
S15 8	5	(realtime real-time (real adj time)) adj (digital adj video) and (parent with child)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 10:07
S15 9	0	(realtime real-time (real adj time)) adj (digital adj video) with (data adj type)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 10:08
S16 0	0	(realtime real-time (real adj time)) adj (digital adj video) same (data adj type)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 10:08
S16 1	7	(realtime real-time (real adj time)) adj (digital adj video) and (data adj type)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 11:18
S16 2	23779	state adj machine	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 11:18
S16 3	112	(state adj machine) with analyzer	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 12:51
S16 4	0	((state adj machine) with analyzer) same (plugin plug-in)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 11:19
S16 5	0	((state adj machine) with analyz$4) same (plugin plug-in)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 11:19
S16 7	8	(state adj machine) with (plugin plug-in)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 11:20
S16 8	2	(state adj machine) with (plugin plug-in) and network	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 11:20
S16 9	75	server adj (plugin plug-in) and network	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 11:21

S17 0	2	media with server adj (plugin plug-in) and network	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 12:21
S17 1	0	media adj server adj (plugin plug-in)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 12:22
S17 2	3	media with server adj (plugin plug-in)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 12:22
S17 3	13	media adj (plugin plug-in)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 12:22
S17 4	0	media adj (plugin plug-in) same server	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 14:57
S17 5	7	("media" audio video) adj (plugin plug-in) same server	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 12:50
S17 6	780	(state adj machine) with variable	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 12:51
S17 7	15	(state adj machine) with variable same analyz$4	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 13:14
S17 8	2296	table with record with field	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 13:14
S17 9	17	analyz$4 with (table with record with field)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 13:17
S18 0	1	analyz$4 with (table with record with field) same (different distinct)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 13:18

S18 1	33	(US-5920855-$ or US-5923850-$ or US-5926820-$ or US-5933818-$ or US-5941951-$ or US-5983224-$ or US-6061682-$ or US-6112285-$ or US-6182061-$ or US-6199068-$ or US-6421613-$ or US-6449618-$ or US-6473797-$ or US-6493718-$ or US-6510420-$ or US-6516189-$ or US-6553364-$ or US-6567814-$ or US-6629095-$ or US-6675164-$ or US-6788926-$ or US-5502493-$ or US-6460076-$ or US-6173406-$ or US-5420965-$ or US-6493852-$).did. or (US-6694290-$ or US-5581756-$ or US-5852819-$).did. or (JP-2001167098-$ or JP-03292538-$).did. or (US-5850388-$ or JP-11134206-$).did.	USPAT; JPO; DERWENT	OR	OFF	2005/01/13 13:58
S18 2	3	S181 and (parse$ parsing) same (log line file)	USPAT; JPO; DERWENT	OR	OFF	2005/01/13 14:02
S18 3	0	S181 and (parse$ parsing) same (log line file) and (plugin plug-in (plug adj in))	USPAT; JPO; DERWENT	OR	OFF	2005/01/13 13:58
S18 4	3	S181 and (plugin plug-in (plug adj in))	USPAT; JPO; DERWENT	OR	OFF	2005/01/13 13:59
S18 5	1	S181 and (plugin plug-in (plug adj in)) and (parse$ parsing)	USPAT; JPO; DERWENT	OR	OFF	2005/01/13 14:00
S18 6	2	S181 and (plugin plug-in (plug adj in)) and (parse$ parsing determin$5)	USPAT; JPO; DERWENT	OR	OFF	2005/01/13 14:00
S18 7	15	S181 and (parse$ parsing determin$5) same (log line file)	USPAT; JPO; DERWENT	OR	OFF	2005/01/13 14:04
S18 8	21899	(parse$ parsing determin$5) same (log)	USPAT; JPO; DERWENT	OR	OFF	2005/01/13 14:04
S18 9	10986	(parse$ parsing determin$5) with (log)	USPAT; JPO; DERWENT	OR	OFF	2005/01/13 14:05
S19 0	8	(parse$ parsing determin$5) with (log) same (plugin plug-in (plug adj in))	USPAT; JPO; DERWENT	OR	OFF	2005/01/13 14:57
S19 3	2	xml with log with analyze	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 14:59

S19 4	3	xml with log with analyz$	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 14:59
S19 5	27	xml with log	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 15:02
S19 7	3043	xml	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 15:02
S19 8	83	xml same log	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 15:02
S19 9	3	xml same (log with analyz$)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 15:03
S20 0	3	xml same (log with determin$5)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 15:35
S20 1	549	(log with definition)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 15:37
S20 2	2	(log with definition) same xml	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 15:36
S20 3	4	(log same definition) same xml	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 15:36
S20 4	15	(log with definition) and xml	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 15:40
S20 5	397	(definition) with xml	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 15:40
S20 6	35	(definition) with xml same parse	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 16:28
S20 7	302	parser same analyzer	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 16:28
S20 8	26	parser same analyzer same server	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 16:33
S20 9	7	parser same analyzer same server and (plugin plug-in (plug adj in))	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 17:46
S21 0	80	server adj (plugin plug-in (plug adj in))	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 17:58

S21 1	0	server adj (plugin plug-in (plug adj in)) same parser	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 17:47
S21 2	4	server adj (plugin plug-in (plug adj in)) same analyz$	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 18:16
S21 3	2	server adj (plugin plug-in (plug adj in)) same read	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 17:51
S21 4	707	server with (plugin plug-in (plug adj in))	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 17:52
S21 5	5	server with (plugin plug-in (plug adj in)) with parse	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 17:52
S21 8	0	server same (plugin plug-in (plug adj in)) same (state adj machine)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 17:56
S21 9	18	(plugin plug-in (plug adj in)) same (state adj machine)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 17:56
S22 0	3	server adj (plugin plug-in (plug adj in)) with (media audio video)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 17:59
S22 1	5	server near (plugin plug-in (plug adj in)) with (media audio video)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 17:59
S22 2	203	parse$ with (state adj machine)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 18:16
S22 3	11	parse$ with (state adj machine) with analyz$	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 18:17
S22 6	1	parse$ with (state adj machine) with analyz$ same (store storing)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 18:17
S22 7	11	parse$ with (state adj machine) with analyz$ and (store storing)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 18:17
S22 8	123	parent with child with server	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/14 13:54
S22 9	52	parent with child with analyz$4	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/14 13:55
S23 0	3	S228 and S229	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/14 13:54

S23 1	172	S228 or S229	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/14 13:54
S23 2	23	S231 and (parse parser parsing)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 13:56
S23 4	159	parent with child with server	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 13:54
S23 5	63	parent with child with analyz$4	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 13:55
S23 7	4	S234 and S235	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 13:55
S23 8	218	S234 or S235	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 13:55
S23 9	28	S238 and (parse parser parsing)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/14 13:56
S24 0	43	(US-5161193-$ or US-5420965-$ or US-5502493-$ or US-5581756-$ or US-5852819-$ or US-5920855-$ or US-5923850-$ or US-5926820-$ or US-5933818-$ or US-5941951-$ or US-5974572-$ or US-5983224-$ or US-5983228-$ or US-6012098-$ or US-6061682-$ or US-6094649-$ or US-6112285-$ or US-6173406-$ or US-6182061-$ or US-6199068-$ or US-6256635-$ or US-6405128-$ or US-6421613-$ or US-6449618-$ or US-6460076-$ or US-6473797-$).did. or (US-6493718-$ or US-6493852-$ or US-6510420-$ or US-6516189-$ or US-6553364-$ or US-6567814-$ or US-6629095-$ or US-6662230-$ or US-6675164-$ or US-6694290-$ or US-6732148-$ or US-6788926-$ or US-6006266-$).did. or (JP-03292538-$ or JP-2001167098-$).did. or (US-5850388-$ or JP-11134206-$).did.	USPAT; JPO; DERWENT	OR	OFF	2005/01/14 18:21
S24 3	1	"6567814".pn. and child and parent and server	USPAT; JPO; DERWENT	OR	ON	2005/01/14 14:48

S24 4		83	(US-5161193-$ or US-5420965-$ or US-5502493-$ or US-5581756-$ or US-5852819-$ or US-5920855-$ or US-5923850-$ or US-5926820-$ or US-5933818-$ or US-5941951-$ or US-5974572-$ or US-5983224-$ or US-5983228-$ or US-6012098-$ or US-6061682-$ or US-6094649-$ or US-6112285-$ or US-6173406-$ or US-6182061-$ or US-6199068-$ or US-6256635-$ or US-6405128-$ or US-6421613-$ or US-6449618-$ or US-6460076-$ or US-6473797-$).did. or (US-6493718-$ or US-6493852-$ or US-6510420-$ or US-6516189-$ or US-6553364-$ or US-6567814-$ or US-6629095-$ or US-6662230-$ or US-6675164-$ or US-6694290-$ or US-6732148-$ or US-6788926-$ or US-6006266-$).did. or (JP-03292538-$ or JP-2001167098-$).did. or (US-5850388-$ or JP-11134206-$).did.	USPAT; JPO; DERWENT	OR	OFF	2005/01/14 16:07
S24 5		12	S244 and (data adj type)	USPAT; JPO; DERWENT	OR	OFF	2005/01/14 16:07
S24 6		2018	709/224.ccls.	USPAT; JPO; DERWENT	OR	OFF	2005/01/14 18:21
S24 7		53	S246 and mining	USPAT; JPO; DERWENT	OR	OFF	2005/01/14 18:21
S24 8		40	S246 and mining and (realtime real-time (real adj time))	USPAT; JPO; DERWENT	OR	OFF	2005/01/14 18:21
S25 0		6	S246 and mining and (realtime real-time (real adj time)) and xML	USPAT; JPO; DERWENT	OR	OFF	2005/01/14 18:22
S25 1		1	S246 and mining same (realtime real-time (real adj time)) and xML	USPAT; JPO; DERWENT	OR	OFF	2005/01/14 18:22